Starycide® Insect Growth Regulator

Date of Issue: December 18th, 2007

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: Starycide® Insect Growth Regulator

Other names: None

Product code: Not yet available

Chemical group: Uron

Recommended use: For the control silverfish, immature fleas and cockroaches in indoor and outdoor situations

Formulation: Suspension Concentrate

Supplier: Bayer Environmental Science – A Business Group of Bayer CropScience Pty Ltd

ABN 87 000 226 022

Address: 391 - 393 Tooronga Road, East Hawthorn

Victoria 3123, Australia

Telephone: (03) 9248 6888 Facsimile: (03) 9248 6800

Website: www.bayercropscience.com.au
Contact: Technical Manager (03) 9248 6854

Emergency

Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD

Irritating to eyes and skin. May cause sensitisation by skin contact.

Hazard designation: Classified as hazardous according to the criteria of Worksafe Australia

Risk phrases: R 36/38 – Irritating to eyes and skin

R 43 – May cause sensitisation by skin contact

Safety phrases: See Sections 4, 5, 6, 7, 8, 9, 13

ADG classification: Not "dangerous goods" for transport by road or rail according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. For transport by sea, Starycide Insect

Growth Regulator is a MARINE POLLUTANT. See Section 14.

SUSDP Schedule 5 (Standard for the Uniform Scheduling of Drugs and Poisons)

classification:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/L)
Triflumuron	[64628-44-0]	48
1,2-Benzisothiazolin-3-one	[2634-33-5]	0.6
Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	[55965-84-9]	1.1
Other ingredients (non-hazardous)	-	~1075

Starycide® Insect Growth Regulator

Date of Issue: December 18th, 2007

FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Remove victim to fresh air and keep at rest. Seek medical advice if symptoms are Inhalation:

experienced.

Skin contact: Remove any contaminated clothing and wash skin thoroughly with soap and water.

Hold eyes open and flood with water for at least 15 minutes. Seek medical advice. Eye contact:

The active ingredient is an insect growth regulator (chitin synthesis inhibitor) and therefore Ingestion:

exhibits low mammalian toxicity. Seek medical advice.

First Aid Facilities: Provide washing facilities in the workplace.

Symptoms: There are no specific symptoms of triflumuron toxicity known.

Medical attention: Systemic toxicity with this product is unlikely. In the event of ingestion apply basic aid,

decontamination and symptomatic treatment. Triflumuron is a chitin synthesis inhibitor.

FIRE FIGHTING MEASURES

Extinguishing media: Sprayed water jet, foam, extinguishing powder, carbon dioxide, sand.

Hazards from combustion products:

If involved in a fire: hydrogen chloride, hydrogen fluoride, hydrogen cyanide, carbon

monoxide, and nitrogen oxides may be evolved.

Precautions for fire

Fight fire in early stages if safe to do so. Wear respiratory protection.

fighters:

Well ventilated areas - full face mask with combination filter (offers no protection from

carbon monoxide).

Enclosed premises - respirator with independent air supply.

Contain firefighting water. Do not permit firefighting water to enter drains and waterways if

at all possible.

ACCIDENTAL RELEASE MEASURES

Dealing with spills and disposals may result in the potential for increased personal exposure. Protective clothing and equipment as described in the PERSONAL PROTECTION section should be worn. Avoid contact with spilled material or contaminated surfaces. Prevent spillage from spreading or entering waterways and drains. Work from upwind side of spill. Spread impregnated sawdust over spillage, sweep up and place in a sealable container. Avoid breathing the dust. Clean affected area with aqueous detergent and a small amount of water. Absorb this detergent/water with absorbent material. Do not eat, drink or smoke during clean-up operation. All possible steps should be taken to stop the product entering waterways and drains to prevent contamination of aguatic environments.

Starycide® Insect Growth Regulator

Date of Issue: December 18th, 2007

7. HANDLING AND STORAGE

Handling: Keep out of reach of children. Keep away from heat or moisture.

Storage: Store away from food, drink or animal feeding stuffs. Store in the closed, original container

in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: No exposure standard has been assigned by the National Occupational Health and Safety

Commission (Worksafe Australia) for the product or its ingredients.

Engineering controls: No engineering controls are required for the normal use of this product according to label

Personal Protective When opening the container and preparing spray wear elbow length PVC gloves. Wash

Equipment: hands after use. After each day's use wash gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light brown to grey liquid

Odour: Negligible
Vapour pressure: Not available
Vapour density: Not available
Boiling point: Not available
Freezing/melting Not available

point:

Solubility: Not available

Density: 1115 – 1135 g/L

pH: 6.0 to 8.0 (undiluted)

Flash Point: Not applicable

Flammability Not applicable

(explosive) limits:

Auto-ignition Not applicable

temperature:

Octanol/water Not available

partition coefficient:

Formulation: Suspension concentrate

Starycide® Insect Growth Regulator

Date of Issue: December 18th, 2007

10. STABILITY AND REACTIVITY

Chemical stability: Triflumuron undergoes thermal decomposition above 380 °C.

Hazardous

Hazardous polymerisation will not occur.

polymerisation:

Conditions to avoid: Extreme heat, oxidising agents.

Incompatible

Not available

materials:

Hazardous decomposition

If involved in a fire: hydrogen chloride, hydrogen fluoride, hydrogen cyanide, carbon

monoxide, and nitrogen oxides may be evolved.

products:

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation: May cause irritation to respiratory tract

Skin contact: Irritating to skin

Eye contact: Irritating to the eyes

Ingestion: Not available

Other: None

ANIMAL TOXICITY DATA – ACTIVE INGREDIENT: No data available for the product.

Acute:

Oral toxicity: LD₅₀ rat: >5000 mg/kg

Dermal toxicity: LD₅₀ rat: >5000 mg/kg

Inhalation toxicity: Not irritating to mucous membrane – rabbit

Skin irritation: Slightly irritating – rabbit

Eye irritation: Not irritating – rabbit

Sensitisation: Not available

Chronic:

The effects of long-term exposure to this formulation are not known. The active constituent has been shown to be non-mutagenic and non-carcinogenic in laboratory tests. There are no specific symptoms of triflumuron toxicity.

Starycide® Insect Growth Regulator

Date of Issue: December 18th, 2007

12. ECOLOGICAL INFORMATION

Fish toxicity: LC_{50} : > 320 mg/L (96 h) rainbow trout (triflumuron)

 LC_{50} : >100 mg/L (96 h) golden orfe (triflumuron)

Daphnia toxicity: EC₅₀: 0.23 mg/L (48 hours) daphnia magna (triflumuron)

Toxicity to algae: LC₅₀: >25 mg/L (96 hours, growth rate) *Scenedesmus* (triflumuron)

Bird toxicity: LD₅₀: 561 mg/kg bobwhite quail (triflumuron)

Bee toxicity: Triflumuron is toxic to bees

Other: Triflumuron is a toxic hazard to juvenile aquatic and terrestrial arthropods

Environmental fate, Degradation of active constituent – half life:

persistence and $t_{1/2}$: 960 days at pH4 (22°C) degradation: $t_{1/2}$: 580 days at pH7 (22°C)

 $t_{1/2}$: 11 days at pH9 (22°C)

13. DISPOSAL CONSIDERATIONS

1) After intended use Rinse container before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. Dispose of at a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

2) After spill or accident: Dispose of sealed containers at an approved local waste disposal site.

14. TRANSPORT INFORMATION

UN number: Not applicable (road/rail)
Proper shipping Not applicable (road/rail)

name:

Class and Not applicable (road/rail)

Subsidiary Risk:

Packing Group: Not applicable (road/rail)
EPG: Not applicable (road/rail)
Hazchem code: Not applicable (road/rail)

Marine pollutant: Yes - If this product is shipped by sea it is a Class 9 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S (contains triflumuron), UN 3082, Packing Group III.

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988 Australian Pesticides and Veterinary Medicines Authority Approval Number: 61251

Starycide® Insect Growth Regulator

Date of Issue: December 18th, 2007

16. OTHER INFORMATION

Trademark Starycide® is a Registered Trademark of Bayer

information:

Preparation Replaces May 18th, 2007 edition.

information: Reason for update: Regulatory information

Data sources: Bayer CropScience Pty Ltd product safety data and published data

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS